



An AIRXCEL Brand

American Series Roller Shade Order and Measuring Instructions

(Excluding Windshield Shades)



1. Customer Information

Complete the customer information section.

2. Material Color

Enter your day and night material choice.

View the material color options at MCDInnovations.com.

3. Product

Select MCD American **Duo™** Day/Night or **Solo™** (Day or Night) shade.

4. Operating Mode

Select Manual, Remote Electric, or Combo (Manual Day Shade and Remote Electric Night Shade).

5. Motor Location (If Applicable)

Indicate if you would like the motor to be installed on the Left or Right side of shade assembly.

6. Window Location

Identify where each shade will be installed; e.g., dining, kitchen, driver etc.

7. Price

Use the **PRICE GUIDE** to determine the shade pricing.

Note that Remote Electric Shades require one motor for **EACH** shade roller.

(See price guide for additional charges.)

8. Width

Measure the **INSIDE** width of the valance as close to the top as possible.

Deduct a minimum of **.5"** total to provide clearance space for installation.

(For a shade that is **NOT** mounted in a valance, provide the exact width of shade assembly you desire.)

9. Drop Length

Measure from the **INSIDE** top of the valance, or mounting position, to the bottom of the window frame.

10. Upper Set Limit

Measure from the **INSIDE** top of the valance, or mounting position, to the **upper point**, where you want the bottom of the shade to stop when it is raised. This upper set limit will be pre-set.

Minimum for a Duo Shade is 5" and a Solo Shade is 3.5"

11. Roll Spec

Refer to the Roll Spec diagrams located on the order form to determine the shade roll directions.

Note:

- You will need at least 2 inches of space for the shade to roll freely inside a valance.
- All MCD shades are custom-made and are non-returnable.**


To Place your order:

Fax to MCD at 972.542.4881 or

E-mail form to customerservice@mcdinnovations.com

***A MCD representative will contact you to finalize the details of your order, verify your billing/shipping address and obtain payment information.**

Note: Final product Tolerance for shade width is +/- .25" per shade



A Division of AIRXCEL

**MASTER
TECH RV**
CUSTOM COACH & MARINE



An AIRXCEL Brand

American Series Roller Shade Order Form

Date: _____

Page: _____ Of: _____

Customer Name: _____ Phone: _____

Billing Address: _____

Shipping Address: _____

RV Year: _____ RV Make: _____ RV Model: _____

E-mail: _____

View Material Color Options at MCDInnovations.com

Day Shade Color: _____

Night Shade Color: _____

I authorize MCD to charge the credit card I provide for this order (MCD will call to obtain credit card information):

(Typed name will constitute signature)

Please Note:

- All MCD Shades are custom-made and are non-returnable.
- Width measurement requested is the overall shade assembly size. Do not order by material width.

- Final product tolerance for shade width is +/- .25".
- Minimum Upper Set Limit for a Duo Shade is 5" and the minimum for a Solo Shade is 3.5".

Product: Duo Solo Day Solo Night

Operating Mode: Manual Remote Combo
(Day-Manual/Night-Remote)

Motor Location: L R

Window Location: _____ Price: _____

Width: _____ Drop Length: _____

Upper Set Limit: _____ Roll Spec: _____

Product: Duo Solo Day Solo Night

Operating Mode: Manual Remote Combo
(Day-Manual/Night-Remote)

Motor Location: L R

Window Location: _____ Price: _____

Width: _____ Drop Length: _____

Upper Set Limit: _____ Roll Spec: _____

Product: Duo Solo Day Solo Night

Operating Mode: Manual Remote Combo
(Day-Manual/Night-Remote)

Motor Location: L R

Window Location: _____ Price: _____

Width: _____ Drop Length: _____

Upper Set Limit: _____ Roll Spec: _____

Product: Duo Solo Day Solo Night

Operating Mode: Manual Remote Combo
(Day-Manual/Night-Remote)

Motor Location: L R

Window Location: _____ Price: _____

Width: _____ Drop Length: _____

Upper Set Limit: _____ Roll Spec: _____

Product: Duo Solo Day Solo Night

Operating Mode: Manual Remote Combo
(Day-Manual/Night-Remote)

Motor Location: L R

Window Location: _____ Price: _____

Width: _____ Drop Length: _____

Upper Set Limit: _____ Roll Spec: _____

Remote Controllers (Needed if ordering Remote Electric Shades)

15-Channel Remote Control Qty: _____

Rocker Switch (Not included with Switch Electric Shades)

Non-Lighted DPDT Rocker Switch Qty: _____

Duo™ Day/Night



Recommended for windows **WITH NO** side valance legs




Recommended for windows **WITH** side valance legs

Solo™ Day or Night



Recommended for Solo® Day Shades and for windows **WITH NO** side valance legs



Recommended for windows **WITH** side valance legs



A Division of AIRXCEL





An AIRXCEL Brand

American Series Roller Shade Order Form

Date: _____

Page: _____ Of: _____

Customer Name: _____ Phone: _____

Billing Address: _____

Shipping Address: _____

RV Year: _____ RV Make: _____ RV Model: _____

E-mail: _____

View Material Color Options at MCDInnovations.com

Day Shade Color: _____

Night Shade Color: _____

I authorize MCD to charge the credit card I provide for this order (MCD will call to obtain credit card information):

(Typed name will constitute signature)

Please Note:

- All MCD Shades are custom-made and are non-returnable.
- Width measurement requested is the overall shade assembly size. Do not order by material width.

- Final product tolerance for shade width is +/- .25".
- Minimum Upper Set Limit for a Duo Shade is 5" and the minimum for a Solo Shade is 3.5".

Product: Duo Solo Day Solo Night

Operating Mode: Manual Remote Combo
(Day-Manual/Night-Remote)

Motor Location: L R

Window Location: _____ Price: _____

Width: _____ Drop Length: _____

Upper Set Limit: _____ Roll Spec: _____

Product: Duo Solo Day Solo Night

Operating Mode: Manual Remote Combo
(Day-Manual/Night-Remote)

Motor Location: L R

Window Location: _____ Price: _____

Width: _____ Drop Length: _____

Upper Set Limit: _____ Roll Spec: _____

Product: Duo Solo Day Solo Night

Operating Mode: Manual Remote Combo
(Day-Manual/Night-Remote)

Motor Location: L R

Window Location: _____ Price: _____

Width: _____ Drop Length: _____

Upper Set Limit: _____ Roll Spec: _____

Product: Duo Solo Day Solo Night

Operating Mode: Manual Remote Combo
(Day-Manual/Night-Remote)

Motor Location: L R

Window Location: _____ Price: _____

Width: _____ Drop Length: _____

Upper Set Limit: _____ Roll Spec: _____

Product: Duo Solo Day Solo Night

Operating Mode: Manual Remote Combo
(Day-Manual/Night-Remote)

Motor Location: L R

Window Location: _____ Price: _____

Width: _____ Drop Length: _____

Upper Set Limit: _____ Roll Spec: _____

Remote Controllers (Needed if ordering Remote Electric Shades)
15-Channel Remote Control Qty: _____

Rocker Switch (Not included with Switch Electric Shades)
Non-Lighted DPDT Rocker Switch Qty: _____

Duo™ Day/Night



Recommended for windows **WITH NO** side valance legs



Recommended for windows **WITH** side valance legs

Solo™ Day or Night



Recommended for Solo® Day Shades and for windows **WITH NO** side valance legs



Recommended for windows **WITH** side valance legs



A Division of AIRXCEL



CUSTOM COACH & MARINE